

MATERIAL SAFETY DATA SHEET

ITEM NUMBER/NAME: 050 - Regency Glass Cleaner

050 050

VERSION 5 EFFECTIVE DATE: 11/10/04 SUPERCEDES: 05/03/04 PREPARED BY: Regulatory Compliance
 Section(s) Revised: II, III, VI, VIII

Emergency Medical Telephone Number: 1-866/836-8855 (24 HRS) Outside the U.S.A. Call 952/852-4646

PRODUCT HAZARD RATINGS (HMIS®): Health = *1, Fire = 1, Reactivity = 0 Protective Equipment = A
 (Rating Index: 4 = Severe, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal, * = Chronic Hazard)

SECTION I

SRC
 4510 Reading Rd.
 Cincinnati, OH 45229

TELEPHONE NUMBER FOR INFORMATION: 1-877-482-5604

DATE PRINTED: 01/01/05
 NAME OF PREPARER: Regulatory Compliance

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Chemical Names (CAS #)	SARA SEC 313	ACGIH TLV-TWA/STEL	OSHA PEL-TWA/STEL	% By Wt.
Ethanol (64-17-5)	No	1000 ppm/ NE	1000 ppm/ NE	1-10
2-Butoxyethanol (111-76-2)	Yes	25 ppm/ NE	50 ppm/ NE	1-10
Liquefied Petroleum Gas Mixture (68476-86-8)	No	See below ingredient data		1-10
Propane (74-98-6)	No	1000 ppm/ NE	1000 ppm/ NE	(48-55)
n-Butane (106-97-8)	No	1000 ppm/ NE	NE / NE	(45-49)
Isobutane (75-28-5)	No	1000 ppm/ NE	NE / NE	(0.5-2.0)

Balance of ingredients are non-hazardous or below reportable levels.

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Point: NA Vapor Pressure (psig) (± 5 psig): 153 @ 130°F / 68 @ 70°F
 Specific Gravity - calculated (H2O=1): 0.9577 ± 0.005 pH: 10 Solubility/Water: Completely
 Vapor Density (AIR=1): ND Evaporation Rate (Ether=1): ND
 Appearance and Odor: Clear, pale yellow aerosol spray with butyl odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Aerosol Flammability: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45.

Flashpoint: <0°F (Propellant); none even upon boiling (Concentrate)

Flammable Limits - % Volume in Air (Propellant): LEL: 1.9 UEL: 9.5

Extinguishing Media: Carbon dioxide, water spray, foam, or dry chemical.

Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up. Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.

Unusual Fire and Explosion Hazards: Fire fighters and others who may be exposed to the products of Combustion should be equipped with NIOSH-approved positive pressure self-contained breathing apparatus (SCBA) and full protection clothing. At elevated temperatures (over 54C-130F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.

SECTION V - REACTIVITY DATA

Stability: Stable Hazardous Polymerization: NA

Incompatibility (Materials to Avoid): Oxidizing agents, reducing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, hydrocarbon vapors.

Conditions to Avoid: Keep away from heat, sparks, and flames. Dropping of containers may cause bursting.

ITEM NUMBER/NAME: 050 - Regency Glass Cleaner

050 050

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation: Y Eyes: Y Skin: Y Ingestion: N

HAZARDS IDENTIFICATION:

EYES: May cause mild irritation.

SKIN: Prolonged or repeated contact may cause irritation.

INHALATION: High concentration or prolonged exposure can be irritating to eyes, nose and respiratory tract. High concentration may cause dizziness, drowsiness, headaches, incoordination, anesthetic or narcotic effects, and other types of Central Nervous System depression. Prolonged exposure can cause myocardial irritation, visual disturbances, and metabolic acidosis.

INGESTION: Exposure by ingestion is unlikely since an aerosol, but if occurs: Irritating to the mouth, throat and stomach.

AGGRAVATED MEDICAL CONDITIONS: May aggravate pre-existing skin, nervous system, kidney conditions.

CHRONIC EXPOSURE: May affect the Nervous System. Liver. Kidneys. Lungs and/or respiratory system.

Blood and/or blood-forming organs. Heart and/or circulatory system. Mucous membranes.

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Immediately flush with plenty of water for at least 15 minutes. Get prompt medical attention.

SKIN: Immediately flush with plenty of water for at least 15 minutes. Get prompt medical attention.

INHALATION: Remove to fresh air. If symptoms develop, seek immediate medical attention. If not breathing, give artificial respiration.

INGESTION: In the unlikely event of swallowing: Get immediate medical attention. Do NOT induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person.

CARCINOGENICITY:

	ACGIH	IARC	NTF	OSHA
2-Butoxyethanol	A3	No	No	No

TOXICITY INFORMATION:

2-Butoxyethanol:

Chronic exposure may affect the liver and kidneys and may increase red blood cell hemolysis, which could cause jaundice, fatigue, shortness of breath, and rapid heart rate.

LD50 Oral (Rat): >470 mg/kg

LD50 Dermal (Rabbit): 220 mg/kg

LC50 Inhalation (Rat): 400 ppm/4 hr.

Ingestion of ethanol or methanol by pregnant women increases the risk of birth defects.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Releases or Spills: Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material.

Waste Disposal Method: Do not puncture or incinerate containers. When contents are depleted continue to Depress button until all gas is expelled. Dispose of container in accordance with local, state, and federal regulations. Disposal regulations may be different for each state and/or locality.

Handling And Storing: Avoid breathing vapor. Keep away from heat, sparks and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures above 120°F (48.9°C). Store as Level 1 Aerosol (NFPA 30B).

Other Precautions: Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

SECTION VIII - EMPLOYEE PROTECTION

Respiratory Protection (Type): None required if good ventilation is maintained. If exposure exceeds Occupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure.

Ventilation: General ventilation is adequate under normal conditions; mechanical ventilation is optional.

Protective Gloves: Chemical resistant gloves are optional - consult glove manufacturer to determine the proper type for a specific operation.

Eye Protection: Safety glasses are recommended.

Other Protective Clothing or Equipment: Wearing of impervious clothing to prevent skin contact is optional.

ITEM NUMBER/NAME: 050 - Regency Glass Cleaner

050 050

Work/Hygienic Practices: Ensure strict sanitary conditions are conformed to when working around chemicals. Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

SECTION IX - OTHER REGULATORY CONTROLS

FEDERAL:

Toxic Substance Control Act (TSCA): Ingredients of this product are listed on the EPA/TSCA Inventory of Chemical Substances.

STATE RIGHT-TO-KNOW:

Pennsylvania/New Jersey Right-To-Know (Chemical and CAS No.):

Deionized Water (7732-18-5)
Ethyl Alcohol (64-17-5)
2-Butoxyethanol (111-76-2)
Methyl Alcohol (67-56-1)
Liquefied petroleum gas mixture (68476-85-7)
Propane (74-98-6)
n-Butane (106-97-8)
Isobutane (75-28-5)

CANADA:

Domestic Substances List:

Ingredients of this product are listed.

SECTION X - TRANSPORTATION (D.O.T. CLASSIFICATION)

Proper Shipping Name: Consumer Commodity Hazard Class: ORM-D

NG: Negligible NA: Not Applicable NE: Not Established UN: Unavailable ND: Not Determined

While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and disclaims all liability arising out of the use of this information.

EFFECTIVE DATE: 11/10/04 SUPERCEDES: 05/03/04 PREPARED BY: Regulatory Compliance